FIXISSIMO®

The invisible table base assembly system (EURO-Patent)

- *Almost invisible joints. Only a small 6mm hole on the inner edge can be seen.*
- *Assembly flush with the table edge.*
- *Tables can be transported in pieces.*
- *The extremely stable joint is assembled easily, and can be dismantled again just as quickly (Allen key).*
- *Can be used with wood or metal bases.*
- *Manufacturing tolerances are balanced.*

FIXISSIMO® is available in different models. The following two groups are distinguished:

Assembly in **hollow** table bases:

The mounting plate for the clamping sleeve is already inserted when gluing the base.

Type H has an interior base plate. This can either be counter sunk in the table top or in the table base.

Type HE has an eccentric base plate, unlike Type H. The increased bearing surface creates greater stability. This plate must, however, be inserted flush into the table top.

Type HG combines hollow table bases with glass plates. The chrome steel glass mountings are glued to the glass surface with UV adhesive.

Flexibel By cutting the groove deeper than the plate, manufactering tolerances can be balanced.

Assembly in **solid** table bases:

The clamping sleeve is drilled and screwed into the finished base.

Type V has an interior base plate. This can either be counter sunk in the table top or in the table base.

Type VE has an eccentric base plate, unlike Type H. The increased bearing surface creates greater stability. This plate must, however, be inserted flush into the table top.

Type VG combines solid table bases with glass plates. The chrome steel glass mountings are glued to the glass surface with UV adhesive.

Flexibel By using the tolerance disc (red), manufactering tolerances can be balanced. Without the disc, the screw is centring itself.

Inclusive tolerance disc

Without tolerance disc

FIXISSIMO® for wood or stone plates

FIXISSIMO® for **hollow** table bases, **interior** assembly plate

Order Nr.	*Description*	*for base size*	*M / m*	*Tolerance balance*	*4-piece set*
70.001.124.7140	FIXISSIMO® H-120	120 mm	92 / 92 mm	yes	
70.001.104.7140	FIXISSIMO® H-100	100 mm	72 / 72 mm	yes	
70.001.084.7140	FIXISSIMO® H-80	80 mm	54 / 54 mm	yes	

FIXISSIMO® for **hollow** table bases, **eccentric** assembly plate

Order Nr.	*Description*	*for base size*	*M / m*	*Tolerance balance*	*4-piece set*
70.004.104.7140	FIXISSIMO® HE-100	100 mm	110 / 72 mm	yes	
70.004.084.7140	FIXISSIMO® HE-80	80 mm	110 / 54 mm	yes	

FIXISSIMO® for **solid** table bases, **interior** assembly plate

Order Nr.	*Description*	*for base size*	*M*	*Tolerance balance*	*4-piece set*
70.002.K.124.7140	FIXISSIMO® V-120K	120 mm	92 mm	yes	
70.002.K.104.7140	FIXISSIMO® V-100K	100 mm	72 mm	yes	
70.002.K.084.7140	FIXISSIMO® V-80K	80 mm	54 mm	yes	

FIXISSIMO® for **solid** table bases, **eccentric** assembly plate

Order Nr.	*Description*	*for base size*	*M*	*Tolerance balance*	*4-piece set*
70.003.K.084.7140	FIXISSIMO® VE-80K	80 mm	110 mm	yes	
70.003.K.064.7140	FIXISSIMO® VE-60K	60 mm	92 mm	yes	
70.003.K.054.7140	FIXISSIMO® VE-50K	50 mm	72 mm	yes	

FIXISSIMO® for glass plates

FIXISSIMO® for **hollow** table bases, incl. chrome steel **glass mounting** for UV adhesive

Order Nr.	*Description*	*for base size*	*G / m*	*Tolerance balance*	*4-piece set*
70.005.104.7081	FIXISSIMO® HG-100	100 mm	104 / 72 mm	yes	
70.005.084.7081	FIXISSIMO® HG-80	80 mm	84 / 54 mm	yes	

FIXISSIMO® for **solid** table bases, incl. chrome steel **glass mounting** for UV adhesive

Order Nr.	*Description*	*for base size*	*G*	*Tolerance balance*	*4-piece set*
70.006.104.7081	FIXISSIMO® VG-100 S	100 mm	104 mm	yes	
70.006.084.7081	FIXISSIMO® VG-80 S	80 mm	84 mm	yes	
70.006.064.7081	FIXISSIMO® VG-60 S	60 mm	64 mm	yes	
70.006.054.7081	FIXISSIMO® VG-50 S	40 mm	44 mm	yes	

Accessories

Drilling jig for *FIXISSIMO*® **(all Types)**

for the **6mm - drilling** on the inner edge

Order Nr.	*Description*	*for base size*	*Length*	*Price*
70.090.000	FIXISSIMO® drilling jig	all sizes	200 mm	

FIXISSIMO® height adjuster

For ***FIXISSIMO®* Type H / HE** — for assembly in **hollow** bases, with **mounting plate**

Order No.	*Description*	*Material*	*For base size*	*m*	*4-piece set*
70.080.124	H-120 height adjuster	Black plastic	120 mm	92 mm	
70.080.104	H-100 height adjuster	Black plastic	100 mm	72 mm	
70.080.084	H-80 height adjuster	Black plastic	80 mm	54 mm	

For ***FIXISSIMO®* Type V / VE** — for assembly in **solid** bases, with **threaded bush**

Order No.	*Description*	*Material*	*For base size*	*4-piece set*
70.081.084	V-80 height adjuster	Black plastic	80 + 100 mm	
70.081.064	V-60 height adjuster	Black plastic	60 mm	
70.081.054	V-50 height adjuster	Black plastic	50 mm	
70.081.044	V-40 height adjuster	Black plastic	40 mm	

FIXISSIMO® filet

Can be used with **all FIXISSIMO® types** — for decorative purposes

Order No.	*Description*	*Material*	*Size*	*per unit*
68.K.0010.7081	Clip on filet	Burnished chrome steel	100 x 100 x 10 mm	
68.K.0010.7820	Clip on filet	Natural anodised aluminium	100 x 100 x 10 mm	
58.K.0010.7081	Clip on filet	Burnished chrome steel	80 x 80 x 10 mm	
58.K.0010.7820	Clip on filet	Natural anodised aluminium	80 x 80 x 10 mm	
69.K.0010.7081	Clip on filet	Burnished chrome steel	60 x 60 x 10 mm	
69.K.0010.7820	Clip on filet	Natural anodised aluminium	60 x 60 x 10 mm	

The filets are used for decorative purposes. Assembly is simple: For wooden table bases, mill off a small notch at the top, and place the filet over it. The impression of a heavy mounting plate between the table plate and base is thus generated on the finished table.